

sahp
Schweizerische Ärztesgesellschaft
für
Homöopathie

Arbeitsheft
zu
C. M. Bogers
„Boenninghausens Repertory“

Dr. Peter Minder, CH-4102 Benningen

BOGER / BÖNNINGHAUSEN REPERTORIUM – INHALTSVERZEICHNIS

Variante A: Repertoriumsbeginn Seite 1

MIND	1	EARS	158
Time	32	Hearing	168
Agg.	33	Time	171
Amel.	39	Agg.	172
Conc.	39	Amel.	174
Cross. Ref.	40		
SENSORIUM	46	NOSE	175
Agg. & Amel.	48	Smell	189
		Time	190
VERTIGO	49	Agg.	191
Time	51	Amel.	192
Agg.	52		
Amel.	56	CORYZA	192
Conc.	57	Time	195
Cross Ref.	60	Agg.	196
		Amel.	197
HEAD INTERNAL	60	Conc.	197
Time	90		
Agg.	91	FACE	200
Amel.	102	Lips	214
Cross Ref.	106	Lower Jaw & Max. Joints	220
		Chin	222
HEAD EXTERNAL	107	Time	223
Time	117	Agg.	224
Agg.	117	Amel.	226
Amel.	118		
Cross Ref.	119	TEETH	226
		Gums	239
EYES	119	Time	243
Cross Ref.	130	Agg.	243
Eyebrows	130	Amel.	247
Cross Ref.	131	Conc.	249
Orbits	131		
Cross Ref.	132	MOUTH	251
Eyelids	132	Palate	255
Cross Ref.	140	Throat	258
Canthi	140	Saliva	268
Time	144	Tongue	272
Agg.	144	Time	279
Amel.	148	Agg.	279
Vision	148	Amel.	282
Time	155		
Agg.	156	APPETITE	282
Amel.	158	Time	290
		THIRST	290
		Time	292

BOGER / BÖNNINGHAUSEN REPERTORIUM – INHALTSVERZEICHNIS

Variante A: Repertoriumsbeginn Seite 1

TASTE	292	INGUINAL & PUBIC REGION	382
Time	299	Agg.	385
Agg.	299	Cross Ref.	385
Amel.	300	Mons Pubis	385
ERUCTATION	300	FLATULENCE	386
Time	303	Time	389
Agg.	303	Agg.	390
Amel	305	Amel	391
WATERBRASH & HEARTBURN	305	Cross Ref.	391
Time	307	STOOL	392
Agg.	307	Conc. Before Stool	403
HICCOUGH	308	Conc. During Stool	405
Time	309	Conc. After Stool	409
Agg.	309	Time	413
Amel.	309	Agg. & Amel.	413
NAUSEA & VOMITING	310	Cross Ref.	417
Time	316	ANUS & RECTUM	419
Agg.	316	Conditions	425
Amel.	320	Cross Ref.	427
Conc.	321	PERINEUM	427
Cross Ref.	323	Conditions	428
STOMACH	324	Cross Ref.	428
Epigastrium	332	PROSTATE GLAND	429
Time	336	URINE	429
Agg.	336	Sediment	433
Amel.	340	Micturition	435
Conc.	342	Before Urination	440
Cross Ref.	343	At Beginning of Urination	440
HYPOCHONDRIA	343	During Urination	441
Time	350	At Close of Urination	443
Agg.	350	After Urination	443
Amel.	352	Conditions of Urination	445
Cross Ref.	353	Cross Ref.	446
ABDOMEN	353	URINARY ORGANS	447
Time	369	Kidney	447
Agg.	370	Ureters	449
Amel.	375	Bladder	449
Cross Ref.	377	Urethra	451
EXTERNAL ABDOMEN	379	Meatus	454
Agg. / Cross Ref.	381	Conditions	454

BOGER / BÖNNINGHAUSEN REPERTORIUM – INHALTSVERZEICHNIS

Variante A: Repertoriumsbeginn Seite 1

GENITALIA	455	VOICE & SPEECH	548
Male Organs	456	Time	551
Penis	458	Conditions of Voice	552
Glans	459	NECK & EXTERNAL THROAT	553
Prepuce	461	Nape	558
Spermatic Cord	462	Time	561
Testes	463	Agg.	561
Scrotum	465	Amel.	563
Female Organs	466	CHEST	563
Time	474	Inner	563
Conditions	475	External	574
Cross Ref.	477	Axillae	577
SEXUAL IMPULSE	479	Mammae	579
Conc. Of Coition	483	Nipples	581
Conc. After Coition	483	Heart & Region of	583
Conc. After Pollutions	484	Time	587
Cross Ref.	484	Agg.	588
MENSTRUATION	485	Amel.	593
Conc. Before Menses	488	BACK	594
Conc. At Start of Menses	491	Scapular Region	594
Conc. during Menses	492	Dorsal Region	598
Conc. After Menses	496	Lumbar Region	603
Leucorrhoea	497	Sacrum & Coccyx	607
Conc.	499	Spinal Column & Vertebrae	609
Cross Ref.	500	Time	610
RESPIRATION	500	Agg.	611
Impeded by	505	Amel.	614
Time	508	UPPER EXTREMITIES	615
Agg.	509	Time	647
Amel.	514	Agg.	648
Conc.	515	Amel.	651
COUGH	515	LOWER EXTREMITIES	652
Time	515	Time	648
Excited or Agg. By	519	Agg.	685
Amel.	529	Amel.	690
Conc.	530	SENSATIONS & COMPLAINTS	
Expectoration	537	IN GENERAL	691
Taste of	541	GLANDS	747
Odor of	543	BONES	750
LARYNX & TRACHEA	544		
Agg.	548		

BOGER / BÖNNINGHAUSEN REPERTORIUM – INHALTSVERZEICHNIS

Variante A: Repertoriumsbeginn Seite 1

SKIN & EXTERIOR BODY	754	HEAT & FEVER IN GENERAL	857
Agg.	790	Partial Heat	859
Time	790	Time	869
SLEEP	790	Agg.	870
Yawning	790	Amel.	872
Falling Asleep	791	Conc.	873
Sleepiness	794	SWEAT	886
Character of Sleep	796	Partial Sweat	889
During Sleep	798	Time	893
Positions during Sleep	801	Agg.	894
Waking	801	Amel.	897
Sleeplessness	804	Conc.	898
DREAMS	807	COMPOUND FEVER	909
Agg.	812	Beginning with:	
FEVER	812	Chill	909
Pathological Types	812	Shivering	911
BLOOD	815	Heat	911
CIRCULATION	816	Sweat	912
Congestions	816	CONDITIONS IN GENERAL	913
Palpitation	820	Time	913
Time	822	Agg. & Amel..	915
Heart Beat	823	CONCORDANCES	964
Pulse	824		
Time	827		
Agg. (& Amel.)	827		
FEVER	830		
Chill	830		
Partial Chill	832		
Coldness	834		
Partial Coldness	835		
Sense of Partial Coldness	837		
Shivering	840		
Time	841		
Agg.	843		
Amel.	846		
Conc.	846		

BOGER / BÖNNINGHAUSEN REPERTORIUM – INHALTSVERZEICHNIS

Variante B: Repertoriumsbeginn Seite 191

MIND	191	EARS	348
Time	222	Hearing	358
Agg.	223	Time	361
Amel.	229	Agg.	362
Conc.	229	Amel.	364
Cross. Ref.	230		
SENSORIUM	236	NOSE	365
Agg. & Amel.	238	Smell	379
		Time	380
VERTIGO	239	Agg.	381
Time	241	Amel.	382
Agg.	242	CORYZA	382
Amel.	246	Time	385
Conc.	247	Agg.	386
Cross Ref.	250	Amel.	387
		Conc.	387
HEAD INTERNAL	250	FACE	390
Time	280	Lips	404
Agg.	281	Lower Jaw & Max. Joints	410
Amel.	292	Chin	412
Cross Ref.	296	Time	413
HEAD EXTERNAL	297	Agg.	414
Time	307	Amel.	416
Agg.	307	TEETH	416
Amel.	308	Gums	429
Cross Ref.	309	Time	433
EYES	309	Agg.	433
Cross Ref.	320	Amel.	437
Eyebrows	320	Conc.	439
Cross Ref.	321	MOUTH	441
Orbits	321	Palate	445
Cross Ref.	322	Throat	448
Eyelids	322	Saliva	458
Cross Ref.	330	Tongue	462
Canthi	330	Time	469
Time	334	Agg.	469
Agg.	334	Amel.	472
Amel.	338	APPETITE	472
Vision	338	Time	480
Time	345	THIRST	480
Agg.	346	Time	482
Amel.	348		

BOGER / BÖNNINGHAUSEN REPERTORIUM – INHALTSVERZEICHNIS

Variante B: Repertoriumsbeginn Seite 191

TASTE	482	INGUINAL & PUBIC REGION	572
Time	489	Agg.	575
Agg.	489	Cross Ref.	575
Amel.	490	Mons Pubis	575
ERUCTATION	490	FLATULENCE	576
Time	493	Time	579
Agg.	493	Agg.	580
Amel.	495	Amel.	581
WATERBRASH & HEARTBURN	495	Cross Ref.	581
Time	497	STOOL	582
Agg.	497	Conc. Before Stool	593
HICCOUGH	498	Conc. During Stool	595
Time	499	Conc. After Stool	599
Agg.	499	Time	603
Amel.	499	Agg. & Amel.	603
NAUSEA & VOMITING	500	Cross Ref.	607
Time	506	ANUS & RECTUM	609
Agg.	506	Conditions	615
Amel.	510	Cross Ref.	617
Conc.	511	PERINEUM	617
Cross Ref.	513	Conditions	618
STOMACH	514	Cross Ref.	618
Epigastrium	522	PROSTATE GLAND	619
Time	526	URINE	619
Agg.	526	Sediment	623
Amel.	530	Micturition	625
Conc.	532	Before Urination	630
Cross Ref.	533	At Beginning of Urination	630
HYPOCHONDRIA	533	During Urination	631
Time	540	At Close of Urination	633
Agg.	540	After Urination	633
Amel.	542	Conditions of Urination	635
Cross Ref.	543	Cross Ref.	636
ABDOMEN	543	URINARY ORGANS	637
Time	559	Kidney	637
Agg.	560	Ureters	639
Amel.	565	Bladder	639
Cross Ref.	567	Urethra	641
EXTERNAL ABDOMEN	569	Meatus	644
Agg. / Cross Ref	571	Conditions	644

BOGER / BÖNNINGHAUSEN REPERTORIUM – INHALTSVERZEICHNIS

Variante B: Repertoriumsbeginn Seite 191

GENITALIA	645	VOICE & SPEECH	738
Male Organs	646	Time	741
Penis	648	Conditions of Voice	742
Glans	649	NECK & EXTERNAL THROAT	743
Prepuce	651	Nape	748
Spermatic Cord	652	Time	751
Testes	653	Agg.	751
Scrotum	655	Amel.	753
Female Organs	656	CHEST	753
Time	664	Inner	753
Conditions	665	External	764
Cross Ref.	667	Axillae	767
SEXUAL IMPULSE	669	Mammae	769
Conc. Of Coition	673	Nipples	771
Conc. After Coition	673	Heart & Region of	773
Conc. After Pollutions	674	Time	777
Cross Ref.	674	Agg.	778
MENSTRUATION	675	Amel.	783
Conc. Before Menses	678	BACK	784
Conc. At Start of Menses	681	Scapular Region	784
Conc. during Menses	682	Dorsal Region	788
Conc. After Menses	686	Lumbar Region	793
Leucorrhoea	687	Sacrum & Coccyx	797
Conc.	689	Spinal Column & Vertebrae	799
Cross Ref.	690	Time	800
RESPIRATION	690	Agg.	801
Impeded by	695	Amel.	804
Time	698	UPPER EXTREMITIES	805
Agg.	699	Time	837
Amel.	704	Agg.	838
Conc.	705	Amel.	841
COUGH	705	LOWER EXTREMITIES	842
Time	705	Time	878
Excited or Agg. By	709	Agg.	875
Amel.	719	Amel.	880
Conc.	720	SENSATIONS & COMPLAINTS	
Expectoration	727	IN GENERAL	881
Taste of	731	GLANDS	937
Odor of	733	BONES	940
LARYNX & TRACHEA	734		
Agg.	738		

BOGER / BÖNNINGHAUSEN REPERTORIUM – INHALTSVERZEICHNIS

Variante B: Repertoriumsbeginn Seite 191

SKIN & EXTERIOR BODY	944	HEAT & FEVER IN GENERAL	1047
Agg.	980	Partial Heat	1049
Time	980	Time	1059
SLEEP	980	Agg.	1060
Yawning	980	Amel.	1062
Falling Asleep	981	Conc.	1063
Sleepiness	984	SWEAT	1076
Character of Sleep	986	Partial Sweat	1079
During Sleep	988	Time	1083
Positions during Sleep	991	Agg.	1084
Waking	991	Amel.	1087
Sleeplessness	994	Conc.	1088
DREAMS	997	COMPOUND FEVER	1099
Agg.	1002	Beginning with:	
FEVER	1002	Chill	1099
Pathological Types	1002	Shivering	1101
BLOOD	1005	Heat	1101
CIRCULATION	1006	Sweat	1102
Congestions	1006	CONDITIONS IN GENERAL	1103
Palpitation	1010	Time	1103
Time	1012	Agg. & Amel..	1105
Heart Beat	1013	CONCORDANCES	1154
Pulse	1014		
Time	1017		
Agg. (& Amel.)	1017		
FEVER	1020		
Chill	1020		
Partial Chill	1022		
Coldness	1024		
Partial Coldness	1025		
Sense of Partial Coldness	1027		
Shivering	1030		
Time	1031		
Agg.	1033		
Amel.	1036		
Conc.	1036		

BBCR GRIFFREGISTER

MIND	VERTIGO	HEAD	EYES	EARS	NOSE
FACE	TEETH	MOUTH	STOMACH	ABDOMEN	STOOL
RECTUM	URINARY ORGANS	GENITALIA MALE	GENITALIA FEMALE	RESPIRA- TION	COUGH
EXPECTO- RATION	LARYNX	NECK	CHEST	BACK	EXTREMI- TIES
SENSA- TIONS	GLANDS	BONES	SKIN	SLEEP	FEVER
CIRCULA- TION	CHILL	HEAT	SWEAT	COMP. FEVER	GENERALI- TIES

MIND AGG.	HEAD AGG.	VISION	SMELL	CORYZA	LIPS
GUMS	THROAT	SALIVA	TONGUE	APPETITE	THIRST
TASTE	ERUCTA- TIONS	HEART- BURN	HICCOUGH	NAUSEA VOMITING	STOMACH AGG.
HYPOCH.- DRIUM	ABD. EXTERN	INGUINAL REGION	FLATU- LENCE	URINATION DURING	SEXUAL IMPULSE
MENSES	LEUCOR- RHOEA	VOICE	MAMMAE	HEART	LOWER EXTREM.
BLOOD	CONC.	INDEX			

Mit dieser Auflistung kann ein Griffregister angelegt werden, indem man am rechten Aussenrand oben beginnend mit Mind, Vertigo, Head etc. bis Generalities Griffmarken anbringt.
Am Unterrand kann ein weiteres Griffregister angebracht werden, das ein rasches Aufschlagen von Unterabteilungen gestattet, und das Unterteilt ist in Mind-agg, Head-agg, Vision, etc.
Bei der Benutzung bedient man sich zuerst des Registers am rechten Rand, um das entsprechende Kapitel zu finden, und gegebenenfalls anschliessend des am Unterrand angebrachten, so wird ein rasches Arbeiten gewährleistet.

BBCR – Besondere Rubriken

Deutsch	Englisch	Seite
Anlehnen gegen etwas >	Leaning against anything amel.	1126
Anwendungen, lokale agg., amel.	Pack cold etc.; wet applications	1134, 1152
Ärgerlich über Kleinigkeiten	Trifles vexed over	220
Arznei, reagiert nicht auf (Subrubriken)	Reaction want of	916
Aufliegen/nicht aufliegen <	Part on which he is lying/not lying <	1130
Augen halb geöffnet, während Schlaf	Sleep during, eyes half open	988
Augen, „schwimmen“, „stehen im Wasser“	Tears overflow of	318/333
Blähungen < nach dem Essen	Flatulence, eating after	580
Blutgefässe, erweitert, geschwollen am Kopf, Schläfen, Vorderkopf	Blood vessels distended, swelled on head, temples, forehead	299/1006
Boden, kalter und feuchter, liegen auf <	Lying on a moist ground or floor	1130
Boden, kalter, sitzen auf<	Sitting on a cold stone or ground	1111
Brüste	Mammae	769
Einschlafen verhindert durch Symptome	Symptoms which prevent sleeping	982
Einschlafen, verhindert durch (Wallungen etc.)	Sleep; Falling asleep, symptoms which prevent	982
Epistaxis> Kopfschmerz	Epistaxis, nose bleeding>	293/294
Essen kann nicht geschluckt werden	Food won't go down	478
Fallen, leichtes	Falling	898
Fehler im Sprechen/Schreiben	Mind; Mistakes speech/writing	212
Feuchter, kalter Boden, liegen auf <	Lying on a moist ground or floor	1130
Feuchtwarme Packungen >, <	Pack, hot, wet etc.	1134
Flachliegen	Lying with head low agg.	1130
Flatulenz < nach dem Essen	Flatulence, eating after <	580
Gang	Gait	855
Gehen, muss, Impuls zu	Walk, must, impulse to	934
Geräusche im Kopf	Head internal noises	267/265/272
Geruch des Körpers übel (ohne Schweiß)	Odor of body, bad, offensiv	911
Haarausfall am ganzen Körper	Hair falling out entire body	965
Haarausfall Augenbrauen, Wimpern, Bart, etc.	Hair falling out from	302
Haarausfall nach Geburt	Hair falling out after after parturition	303
Hals, äusserer	Neck and external throat	743
Hals, wie zusammengepresst	Throat, grasping at	745

Harnabgang unwillkürlich	Urin micturation involuntary	627
Herzklopfen im Hals	Throat, ascending to	776
Hustenanfälle (Subrubriken)	Cough, paroxysms	706
Intercostalraum	Between ribs	755
Kalter Stein oder Boden, sitzen auf <	Sitting on a cold stone or ground	1111
Katheter <	Catherisation agg	1109
Kindbett (Subrubriken)	Childbed	658
Kinder	Infants	902-903
Kinder, die spät Gehen lernen	Walk, children learn with difficulty/late	221/903/934
Kopf äusserer, Arterienanschwellung	Head external, arteries, swelled	299/1006
Kopf äusserer, Empfindlichkeit auf Berührung	Head external, sensitive to touch	305
Kopf tief < (flachliegen)	Lying with head low agg.	1130
Kopfschmerz täglich	Head internal, daily	281
Kopfschmerz, aufsteigend aus Nacken	Neck, pains ascending from	266/749/751
Labien	Labia	660
Lidschwellung halbseitig (r./l.)	Eyelids, swelling	329
Liegen, wie von falschem	Lying in false position, as from	749/266 (head)
Linea nasalis	Linea nasalis	398
Lippenlecken	Face, lips; licking of	407
Mammae, Schwere	Mammae, heaviness	769
Menarche zu früh (frühreif)	Menses premature in adolescence	676
Mittagsschlaf verschlimmert	Sleep, afternoon, siesta <	1142
Mumps	Glands, parotid	353, 391
Mund (Blass um den Mund)	Pale mouth, around	398
Muttermilch (Subrubriken)	Milk	770
Nackenkopfschmerz	Neck, pains ascending from	266/749/751
Nackenschmerz abwärts ausstrahlend	Nape downward extending	749
Nasenbluten > Kopfschmerzen	Nose bleeding, epistaxis >	293/294
Nasenbluten in der Pubertät	Nose bleeding in puberty	367
Nasse Kleider, Gefühl von	Wet clothes, as of	936
Reagiert nicht auf das Mittel (Subrubriken)	Reaction want of	916
Richtungen von Beschwerden	Direction of pain	892
Röhmheld-Syndrom	Flatulence, pushing upward	579
Rückfälle	Recurring symptoms	916
Schlafen mit halbgeöffneten Augen	Eyes, half open	988
Schmerzen wandern	Wandering, changing about from	934
Schnupfen, unterdrückter (Subrubriken)	Coryza suppressed	384
Schnupfen, wiederkehrend	Coryza recurrent	383
Schwangerschaft (Subrubriken)	Preagnancy	529/662
Schwangerschaftserbrechen	Pregnancy during <	529/662

Schweiss Oberlippe	Sweat, upper lip	1081
Seiten, auch abwechselnde, diagonal, etc.	Sides of body	919
Siesta <, Schlaf am Nachmittag <	< Sleep afternoon, siesta	1142
Sonnenbrand <	Sunburn agg	1145
Taubheit, katarrhalische	Deafness, catarrhal	358
Taubheit, nach unterdrückten Ausschlägen	Deafness, eruptions, suppressed, after	358
Taubheit, verstopfte	Deafness, congestive	358
Tonsillitis, rezidivierend	Chronic recurrent affections of	450
Überessen <	Overeating <	528
Übler Körpergeruch, ohne Schweiss	Odor of body, bad,	911
Ulcera bei ödematösen Patienten	Ulcers, dropsical patients	971
Unwillkürlicher Harnabgang, Husten, Niesen	Urine; Micturition involuntary, coughing, sneezing	627
Verlangen und Abneigungen	Appetite	473-478
Verschlimmerung durch Speisen	Agg.	1119-1123
Versprechen, Verschreiben	Mind mistakes, speech , writing	212
Wiederkehrende Symptome	Recurring symptoms	916
Wind, Gefühl wie angeweht werden	Wind blowing on parts as of	936
Zahnschmerz, < Kälte	Teeth, < cold	434
Zahnschmerz, < warmes	Teeth, < warm	437
Zahnschmerz, > kaltes	Teeth, > cold	437
Zahnschmerz, > warmes	Teeth, > warm	438
Zahnstein	Tartar on	427

BBCR - Querverweise

191	MIND		
	Anxiety	200	Fearsome
		882	Anxious feeling internal
	Add: Anxiety in chest	754	
	Add: Anxiety in heart	773	
	Add: Anxiety in stomach	514	
	Add: Anxiety in abdomen	545	
	Add: Anxiety in epigastrium	522	
196	Consolation	223	Mind agg. (2x aufgeführt)
		1112	Consolation agg.
		1142	Spoken to kindly agg.
198	Despairing of recovery	201	Fear of being incurable
201	Fear of insanity	208	Insanity, fear of
	Held, wants to be	901	Held, desires to be
		1125	Held, amel. by being
204	Hurry in eating	478	Eating , hasty
210	Looked at, averse	907	Looked at, averse
		1127	Looked at, agg.
	Somnambulism	990	Somnambulism
217	Mistake of Speech	249	Speech, mistakes of
	Well feeling	936	Well feeling
221	Walk, learns to slowly	903	Walk, children learn with difficulty
		934	Walk, children learn with difficulty
224	Dentition	902	Dentition agg.
		1113	Dentition agg.
	Descending	1113	Descending agg.
	Emotions after	1116	Emotions
	Menses	682	Mind, during Menses
		686	Mind, after Menses
226	Pregnancy	662	Pregnancy, mental affections
227	Suppressed	1117	Eruptions suppressed
		1145	Suppression agg.
	Sunstroke	275	Sunstroke
250	HEAD INTERNAL		
254	Chronic (aching)	259	Chronic headache
258	Catarrhal headache	259	Coryzal
		282	Cold taking agg.
		388	Coryza, head
259	Contracted and relaxed, alternately	267	Opening and shutting
		279	Undulation, wavelike
		265	Increasing and decreasing
		285	Increasing and decreasing
		902	Increasing and decreasing
		1145	Increasing and decreasing (sun)
264	Heat of, with cold limbs	1051	Heat partial head, cold extr.
281	Periodically	288	Periodically agg.
	Alcoholic	290	Spirituos
		1119	Alcoholic drinks
		1122	Spirituos liquors
297	HEAD EXTERNAL		
306	Sweat	1080	Sweat on head

309	EYES		
313	Foreign body	315	Foreign body
		317	Sand
		317	Splinter
315	Photophobia	344	Photophobia
		336	Light agg.
		346	Light agg.
		1127	Light agg.
	Pterygium	327	Pterygium
319	Ulcer corneal	311	Corneal ulcer
348	EARS		
	Add.: Otitis media	353	Inflammation
		355	Drum perforated
351	Downward pains	357	Throat, extending to
352	Add: Drum perforation	355	
358	HEARING		
359	Echoing of sound	360	Re-echoing
365	NOSE		
365	Internal, posteriorly	370	Dripping
		452	Posterior nares
371	Add: Discharges sweetish	452	Hawkin mucus sweet [*]
380	Weak smell	389	Smell, loss of
382	CORYZA		
384	Stuffed, side on which he lies	385	Stopped, side lying
	Suppressed	1112	Suppressed agg
390	FACE		
	Anaemic look	1009	Anaemia
		398	Pale
		887	Chlorosis
391	Add: Lower jaw	410	
396	Expression	314	Look, anxious
		391	Aged
		398	Pale
		401	Sickly
		402	Sunken
		403	Wrinkled [*]
397	Add: Lock jaw	410	Cramps, trismus
410	LOWER JAW & MAXILLARY JOINTS		
	Add: Upper jaw	391	
	Add: Maxillary joint	391	
411	Glands swelled (submaxillaries)	745	Glands, swelling
		413	Swelling
412	CHIN		
413	Swelling	411	Glands, swelling
416	TEETH		
417	Eye teeth [*]		
	Clenched [*]	422	Grinding [*]
	Extending to eyes	439	Extending to eyes
		421	Extending to eyes (unten)

422	Extending to face	439	Face, concomitants
441	MOUTH		
442	Dryness, thirst without	406	Dry, thirst without
		481	Thirstlessness, dryness
444	Paralysis, organs of speech	740	Paralysis of vocal cord
		741	Speech affected
445	PALATE		
448	Uvula	458	Uvula
		446	Uvula inflamed
		458	Uvula elongated
		447	Uvula swelled
448	THROAT AND GULLET		
449	Abscess of tonsils	453	Tonsils inflamed
		457	Tonsils enlarged
		938	Glands inflammation
450	Chronic, recurrent affections	455	Sore throat chronic
	Foreign body	452	Globus
		454	Plug
		453	Lump
		734	Ball
452	Hanging in	455	Throat, skin
		737	Larynx, skin
		457	Thread or hair [*]
457	Swallowing, strangles easy [*]	737	Swallowing, strangling easy [*]
471	Add: Saliva runs from mouth during sleep	989	
	Add: Swallowing empty agg.	1145	
472	APPETITE		
478	Eating hasty	204	Eating in a hurry
479	Repugnance to drink [*]	480	Thirst with averse to drink
		474	Averse drinks to
	Repugnance food odour [*]	1134	Odour of food
	Repugnance, sight of [*]	508	Food, sight of
480	THIRST		
480	Dry mouth	442	Dry mouth with thirst
		406	Dry lips with thirst
481	Dryness of lips	406	Dry lips with thirst
		442	Dry mouth with thirst
	Dryness of mouth	442	Dry mouth without thirst
	Dryness of throat	451	Thirst, absence of
482	TASTE		
	Add: During Coryza loss	389	
500	NAUSEA AND VOMITING		
504	Palliative	1149	Amel. after
507	Driving	509	Riding
509	Pregnancy	529	Stomach, pregnancy agg.
		662	Pregnancy, nausea and vomiting
		1135	Pregnancy agg.
514	STOMACH		
514	Add: Epigastrium	522	
	Add: Duodenum	544	
518	Heaviness	519	Overloaded

		519	Pressure as of a stone
		524	Pressure as of a stone
522	EPIGASTRIUM		
522	Ball	523	Foreign body
		523	Lump
533	HYPOCHONDRIA		
	L: Liver region; S: Spleen or left; B: Both sides		
543	ABDOMEN INTERNAL		
	A: Abdomen in general; U: Upper abdomen;; N: Navicular (umbilical); S: Sides R/L; H: Hips and loins; M: Lower abdomen		
546	Children in	902	Infants
		1110	Children in agg.
561	Child-bed	658	Childbed
		563	Parturients [*]
563	Pregnancy	662	Abdominal pain
		1135	Pregnancy agg.
582	STOOL		
582	Adhesive	591	Tenacious
		587	Gummy
		591	Stringy [*]
		590	Shreddy [*]
		589	Membraneous [*]
	Albuminous	591	Transparent
	Ashy	587	Gray
		583	Clay [*]
		592	Whitish
		588	Light
	Bilious	587	Green
583	Changeable	589	Varying in colour
604	Children in	903	Diarrhoe
		605	Nurselings
609	ANUS AND RECTUM		
	A: Anus; R: Rectum		
611	Fissure	948	Cracks
614	Prolapse	596	Prolapse
		598	Rectum prolapse
617	PERINEUM		
619	Prostate gland	632	Prostatic discharges
		638	Prostate enlarged
		647	Inflammation prostatic
		647	Prostatic gland swollen
		619	Prostatic gland
		937	Glands
619	URINE		
620	Incontinence	627	Involuntary
		726	Urination
623	SEDIMENT		
624	Add: Pyelitis	624	

	Add: Uric acid diathesis	1148	
625	MICTURITION		
627	Coughing	726	Urination
637	URINARY ORGANS		
639	Add: Uraemia	934	
	Add: Calculus	640	Stone
		638	Calculi, Gravel
645	GENITALIA		
655	Moisture on	1081	Scrotum
656	FEMALE ORGANS		
658	Bleeding, pregnancy	1135	Pregnancy
		662	Pregnancy
		675	Pregnancy, menstruation during
662	Pregnancy	1135	Pregnancy agg., during
	Add: Bleeding	658	675
	Add: Cough	715	
	Abdominal pain	563	
	Constipation	584	
	Diarrhoe	606	
	Add: Digestion impeded [*]	516	529
	Mental affections	226	662
	Nausea and vomiting	509	
	Add: Toothache	426	
	Urinate, impulse to	629	
669	SEXUAL IMPULSE		
	Sweat, followed by	1085	Coition, after
		1085	Emissions after [*]
673	Add: Sexual desire suppressed	1139	
675	MENSTRUATION		
675	Interrupted and reappears	676	Paroxysmal discharge
		686	Menses recur.
690	RESPIRATION		
	Add: Impeded by [*]	695	
	Add: Chocking [*]	693	Oppressed [*]
703	Walking rapidly	1150	Walking rapidly agg.
	Add: Walking rapidly amel.	1150	
727	EXPECTORATION		
737	Skin in	452	Hanging in
		455	Skin, hanging
	Spot in	455	Spot in a
738	VOICE AND SPEECH		
	Add: Aphasia	193	
740	Add: Laryngeal effects	470	
740	Add: Paralysis of speech	444	
743	NECK AND EXTERNAL THROAT		
	Add: Throat and Gullet	448	
744	Glands, cervical & submaxillary	353	Glands, auricular
		440	Submaxillary swelled
		441	Salivary
		389	Submaxillary pain

		411	Submaxillary swelled
		1067	Submaxillary swollen
		1091	Submaxillary swollen
	Goitre	747	Gland (goitre)
	Add: Stiffness with coryza	388	
753	CHEST		
	Up: Upper part; Lo: Lower Part		
	Add: Sternum		725, 751, 754, 759, 762
	Add: Bronchiectasis	760	Secretions increased chronic
756	Add: Crepitation	691	
	Add: Painful respiration	693	
769	MAMMAE		
769	Mammae	937	Glands
	Add: Atrophy	937	Flaccid (atrophied) [*]
	Dwindling [*]	937	Flaccid [*]
770	Milk diminished	658	Milk absent
772	HEART AND REGION OF		
772	Add: Circulation	1006	
	Add: Palpitation	1010	
	Add: Pulse	1014	
	Add: Constipation with heart symptoms	584	
784	BACK		
	V: Vertebrae; C: Coccyx		
805	UPPER EXTREMITIES		
	A: Fleishy parts of Arms; B: Bones; H: Hands; F: Fingers; J: Joints in general; J.E.: Elbow; J.Sh.: Shoulderjoint; J.F.: Fingerjoint; J.W.: Wristjoint; Sh: Shoulder; T: Thumb; O: Upper Arm; U: Forearm		
819	Ganglion	941	Ganglion
842	LOWER EXTREMITIES		
	M: Fleishy parts of limb; B: Bones; F: Foot; H: Hips, Loins; J: Joints in general; F.J.: Ankle joint; K: Knee, J.K.: Kneejoint; L: Leg; T: Toes; U: Tigh; TA: Tendo Achilles		
846	Blood vessels swelled	873	Varicosities
		836	Veins distended [*]
		1007	Varicosis
848	Add: Burning, soles	1058	Uncovering amel.
	Callosities [*]	947	Corns [*]
	Add: Extended limbs	907	Limbs extended
		926	Stretching
855	Add: To Gait [*]		
	Add: Backward	846,	873, 884 impossible
	Add: Coordination affected	890	
	Knock knee [*]	855	
	Add: Lameness	858,	907, 1097
	Add: Motion (difficult, involuntary)	859	
	Add: Mobility exaggerated	908	
	Add: Reeling	240,	249, 916
	Add: Run, inclination to	863	
	Shuffling [*]	864	
	Add: Stepping high/ backward	866	
	Add: Swaying [*]	241,	290

873	Add: Walking in a hurry On toes	204 871	
881	SENSATIONS AND COMPLAINTS IN GENERAL		
882	Add: Air, hunger Alternations, suppressions	898 1145	Fanned Suppressions agg.
		893	Suppressed discharges
		227	Suppressed agg. mind
		956	Itch, suppressed
		1117	Eruptions, suppressed
884	Bony people Add: Bone pains	895 942	Spare habit [*]
888	Add: Constitution bony	884	
		895	Spare, thin [*]
	Add: Scrofula	918	
	Add: Cancerous	886	
	Add: Sycosis	1124	Gonorrhoea
	Add: Tubercular	889	
		763	
		558	
889	Convalescence during Add: Dehydration	1112 528	Convalescence in Loss of vital fluids
892	Crosswise Diagonal Emaciation	920 920 908	Diagonal Diagonal Marasmus
		479	Hunger, ravenous, with emaciation
	Add: Of neck	744	Emaciation
	Add: Worms, with	592	
	Add: cancerous, cachexia	886	
889	Add: Ganglion	941	
		819	
		978	
		948	Cysts
902	Infants		
	Add: Abdomen large, enlarged	550	552
	Asphyxia neonatorum	690	883
	Constipation	439	584
	Dentition, complaints during	1113	
	Dentition, cough during	711	
	Dentition, diarrhoea during	439	604
903	Dentition, difficult	420	
	Dentition, fever during	1002	1006
	Add: Developpement, growth affected	891	900
	Add: to rapid, to slow	900	
	Diarrhoea	604	
	Add: Ears	351	354, 356, 357
	Add: Emaciation	479	592, 744, 895, 908, 965
	Excoriating [*]	965	Soreness [*]
	Eyes	311	313, 319, 336
	Add: Eating, desires	475	476
	Fever	1060	Dentition
		1005	Worms
	Add: Glands: Submaxillary	411	
	Head enlarged	265	300, 306, 1080
	Head swelled	306	
	Hernia	573	
	Add: Injuries: Back	801	
	Add: Injuries: Head	255	259, 303, 979

	Add: Jaundice eyes	319	
	Add: Jaundice face	404	
	Add: Jaundice skin	947	
	Add: Lying on abdomen	991	
	Add: Lying on abdomen amel.	556	1129
	Add: Lying knee elbow	556	1126, 1129, 1130
	Miliaria [*]	959	961
	Add: Milk (mothers) averse	474	
	Add: Milk (mothers) agg.	1121	
	Add: Milk crust	300	394, 398
	Add: Mumps	353	
	Add: Naevus	963	
	Add: Nose boring	368	
	Add: Obesity	911	
	Respiratory	700	758, 903
	Add: Skin, soreness [*]	965	
	Add: Sleeplessness from excitement	996	
	Spasms	921	Fits
	Add: Stomach disorders	527	
	Add: Stool	882	583, 586, 587, 589 - 592, 604
	Add: Talk, slow learning	210	
	Add: Thirst / Thirstlessness	481	482
	Add: Urine, crying	630	632
	Walk, learning with difficulty	221	873, 903, 934
	Add: Worm fever	1005	
904	Influenza	1002	Fevers
911	Add: Oedema	894	Dropsy [*]
	Add: Pains – sensations		884, 933
912	Paralytic or laming pain in joints	929	Paralytic in joints
913	Add: Phlegmasia	868	968
	Radiating pains	272	Head
		399	Face
		425	Teeth
		520	Stomach
		524	Epigastrium
		538	Hypochondria
		555	Abdomen
		775	Chest
		795	Back
		799	Spinal column
		862	Lower extremities
	Reaction, want of, medicine to	908	Medicine wanting
	Recurring	887	Chronic
936	Add: Weakness with vomiting	505	513
937	GLANDS		
	Axillary	767	809
	Inguinal	573	
	Mammary	769	
	Prostate	619	
	Parotid	353	391
	Submaxillary	389	411, 440, 744, 1091
	Salivary	441	
	Tonsils	449	
	Cervical	452	457, 744
	Thyroid	712	744 (goitre), 747, 774
	Testes	653	

944	SKIN AND EXTERIOR BODY		
949	Add: Decubitus	965	Soreness, Bedsores [*]
955	Hair, falling	299	Baldness
		302	Falling out from head
956	Add: Insect bite	967	Stings [*]
980	SLEEP		
	Yawning 980, Falling asleep 981, Sleepiness 984, Character of sleep 986, During sleep 988, Positions 991, Waking 991, Sleeplessness 994, Dreams 997		
988	Eyes half open	326	Eyelids
	Add: Sweat, during	1086	
1002	FEVER		
1002	Add: Hay fever	382	Coryza, annual hay fever
1003	Add: Influenza	904	
1020	CHILL		
1021	Shivering	1030	Shivering
1022	Partial chill		
1024	Coldness		
1025	Partial Coldness		
1105	CONDITIONS OF AGG. AND AMEL.		
	Add: Application	1134	Pack
		1152	Wet application agg.
	Awaking from siesta	1142	Afternoon siesta
1114	Eating	527	Eating
1115	Eating, long after	528	Several hours after
	Homesickness	203	Homesickness
1117	Mortification [Kränkung]	212	Mortification
1118	Females	1153	Women
1125	Head leaning on anything amel.	1126	Leaning against anything agg./amel.
	Looked at agg.	907	Looked at averse
		210	Looked at averse
	Looking intently, fixedly agg.	336	Looking intently agg.
		346	Looking a long time
	Side, pain goes to side on which he is not lying	1136	Pressure on opposite, painless side agg.
1131	Add: Massage, Rubbing agg./amel.	1139	
1132	Menses, at start of	681	Conc. at start of menses
	Add: Menopause	1110	Climacteric
1135	Pregnancy	662	Pregnancy, various symptoms
		226	Pregnancy agg. Mind
		658	Pregnancy during
		509	Pregnancy during agg.
		675	Pregnancy, menses during
		563	Pregnancy during
1142	Sleep, short amel.	993	Refreshed by even a short sleep
	Tobacco amel.	1123	Tobacco agg./amel
1147	Add: Touch, averse to	931	
1151	Add: Weaning [*]effects of	771	